

**DS-KD-K12/S**  
**Nametag module**

- Nametag module of modular door station
- 12 nametag buttons calling design for easier calls
- IP65 protection level
- Backlight compensation behind the nametag buttons
- Stainless steel high quality material
- Easy to use and extend

## ▪ Specification

System parameters	
Operation system	Linux
ROM	/
RAM	/
Processor	Embedded high performance processor
Device interfaces	
RS-485	1
General	
Button	12 physical buttons
Power consumption	≤ 2 W
Indicator	/
Weight	Net weight: 179 g; Gross weight: 336.4 g
Protective level	IP65
Working temperature	-30 °C to 55 °C
Working humidity	10% to 90% (no-condensing)
Dimension (W × H × D)	98.2 mm × 100.2 mm × 33.7 mm (3.87" × 3.95" × 1.33")
Installation	Flush mounting, surface mounting

## ▪ Available Model

DS-KD-K12/S

### Headquarters

No.555 Qianmo Road, Binjiang District,  
Hangzhou 310051, China  
T +86-571-8807-5998  
www.hikvision.com



Follow us on social media to get the latest product and solution information.



Hikvision



HikvisionHQ



HikvisionHQ



Hikvision\_Global




Hikvision  
Corporate Channel



hikvisionhq

▪ Dimension



Unit: mm [inch]

SCALE	1:1
-------	-----

**Headquarters**







No.555 Qianmo Road, Binjiang District,  
Hangzhou 310051, China  
T +86-571-8807-5998  
www.hikvision.com

Follow us on social media to get the latest product and solution information.



▪ **Accessory**

▪ **Optional**

<b>DS-KD8003-IME1(B ) KD8 Series Modular Door Station</b>	<b>DS-KD8003-IME1(B ) /S KD8 Series Pro Modular Door Station</b>	<b>DS-KD8003-IME1(B ) /NS KD8 Series Pro Modular Door Station</b>	<b>DS-KD8003-IME1(B ) /Flush KD8 Series Pro Modular Door Station</b>	<b>DS-KD8003-IME1(B ) /Surface KD8 Series Pro Modular Door Station</b>
				
<b>DS-KD7003EY-IME2 2-wire HD Door Station</b>	<b>DS-KD7003EY-IME2 /Aluminum 2-wire HD Door Station</b>			
				

**Headquarters**

No.555 Qianmo Road, Binjiang District,  
Hangzhou 310051, China  
T +86-571-8807-5998  
www.hikvision.com



Follow us on social media to get the latest product and solution information.

